

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	3912	718/100-108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:35
-	4	(data adj process\$4) and (poll\$4 with thread) and (thread with active) and (thread with clean\$4) and (status or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	4	(data adj process\$4) and (poll\$4 with thread) and (thread with active) and (thread with clean\$4) and ((status or information) same active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	1	(data adj process\$4) and (poll\$4 with thread) and (thread with active) and (thread with clean\$4) and ((status or information) same active) and (determin\$6 with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	16	(determin\$4 with thread with active) and (thread with clean\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	0	(fails with determin\$4 adj3 thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	32	(thread with active) same (thread with clean\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	0	respon\$7 with absence with thread with active with clean\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	0	respon\$7 with absence with thread with active same clean\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	0	respon\$7 with absence with thread with active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	0	(clean\$7 adj3 thread) same (thread adj4 active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	32	(clean\$7 with thread) same (thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:59
-	35455	status adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00
-	2385	(status adj information) with (receiv\$4 and stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00

-	1353	((status adj information) with (receiv\$4 and stor\$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00
-	250	(status adj information) with (receiv\$4 and stor\$4) with respon\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00
-	0	(status adj information) with (receiv\$4 and stor\$4) with respon\$5 with thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00
-	4	(status adj information) with ((receiv\$4 with thread with stor\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:00
-	0	((status adj information) with ((receiv\$4 with thread with stor\$5))) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:01
-	294	(information or data) with ((receiv\$4 with thread with stor\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:01
-	1	((information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610) and (thread with printer) and (thread with video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:01
-	614	((information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610) and (thread with printer) or (thread with video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:01
-	0	((information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610) and (thread with printer) and (virtual adj machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:01
-	25053	respon\$5 with receiv\$5 with stor\$5 with (information or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02
-	15419	(respon\$5 with receiv\$5 with stor\$5 with (information or data)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02
-	0	((respon\$5 with receiv\$5 with stor\$5 with (information or data)) and @ad<=19990610) and (thread with (first adj class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02
-	0	((respon\$5 with receiv\$5 with stor\$5 with (information or data)) and @ad<=19990610) and (identif\$5 with (active adj thread))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02
-	0	(printer adj thread) and (video adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02

-	0	(printer with thread) and (video adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:02
-	38	((video near3 thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	1	((US-6418542-\$ or US-6182142-\$ or US-5305455-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (priority or class)	USPAT	2004/08/26 18:03
-	0	((US-6418542-\$ or US-6182142-\$ or US-5305455-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (thread with (class or priority))	USPAT	2004/08/26 18:03
-	825	thread and (first adj class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	22	thread with (first adj class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	532	active adj thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	254650	identif\$ and terminat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	3	identif\$6 near3 ((active and inactive) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	0	(reset\$5 near3 resource) with (inactive adj thread) with reallocat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	0	(reset\$5 with resource) with (inactive adj thread) with reallocat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:03
-	395244	((US-6418542-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (period with time) or error	USPAT	2004/08/26 18:03
-	0	((US-6418542-\$).did.) and inactive	USPAT	2004/08/26 18:04
-	0	(((((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4))) and ((active run\$4) with thread)) and (709/100-108.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:05

-	0	(((((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4))) and ((active run\$4) with thread)) and (709/100-108.ccls.) and (poll\$4 with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:05
-	0	(((((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4))) and ((active run\$4) with thread)) and (709/100-108.ccls.) and (poll\$4 with thread)) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:05
-	0	(((((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4))) and ((active run\$4) with thread)) and (709/100-108.ccls.) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:05
-	0	("8741474").PN.	USPAT	2004/08/27 09:35
-	0	("8741474").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:08
-	0	(08/741474).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:08
-	0	((US-6594702-\$).did.) and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:09
-	0	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (garbage and sub\$1functions).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	0	6639687.URPN.	USPAT	2004/08/26 18:10
-	0	6639687.URPN.	USPAT	2004/08/26 18:10
-	4	(data adj process\$4) and (poll\$4 with thread) and (thread with active) and (thread with clean\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	2	(data adj process\$4) and (poll\$4 with thread) and (thread with active) and (thread with clean\$4) and ((status or information) same active) and ((determin\$6 or respon\$7) with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	10	((determin\$4 with thread with active) and (thread with clean\$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	59	(determin\$4 adj3 thread with active)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	34	((determin\$4 adj3 thread with active)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10

-	2	(determin\$4 with thread with active) same (thread with clean\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	24	((thread with active) same (thread with clean\$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	97	respon\$7 with thread with active	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	50	(respon\$7 with thread with active) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	24	((clean\$7 with thread) same (thread with active)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	166	((status adj information) with (receiv\$4 and stor\$4) with respon\$5) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	5	(status adj information) with (receiv\$4 and stor\$4) with thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	1	((status adj information) with (receiv\$4 and stor\$4) with thread) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	124	((information or data) with ((receiv\$4 with thread with stor\$5))) and thread and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:10
-	124	(information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	4	((information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610) and (virtual adj machine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	3	((information or data) with ((receiv\$4 with thread with stor\$5)) and @ad<=19990610) and (thread with printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	19	((respon\$5 with receiv\$5 with stor\$5 with (information or data)) and @ad<=19990610) and ((virtual adj machine) with java)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	6	(printer with thread) and (video with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11

-	11	(printer adj thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	12	(printer near3 thread) and (data adj processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	10	((printer near3 thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	3	((video adj thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	4	(US-6418542-\$ or US-6182142-\$ or US-5305455-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.	USPAT; US-PGPUB; JPO	2004/08/26 18:11
-	1	((US-6418542-\$ or US-6182142-\$ or US-5305455-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (priority or class)	USPAT	2004/08/26 18:11
-	14	(thread with (first adj class)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	2	((thread with (first adj class)) and @ad<=19990610) and (event with (error or time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	11	identif\$6 with ((active and inactive) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	7	(identif\$6 with ((active and inactive) with thread)) and terminat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:11
-	2	((US-6418542-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (period with time)	USPAT	2004/08/26 18:11
-	1	(US-6418542-\$).did.	USPAT	2004/08/26 18:11
-	1	((US-6418542-\$).did.) and (information or data)	USPAT	2004/08/26 18:11
-	1	(US-5745703-\$).did.	USPAT	2004/08/26 18:11
-	1	((US-5745703-\$).did.) and threads same (first adj3 class adj3 object)	USPAT	2004/08/26 18:11
-	1	(US-6418542-\$).did.	USPAT	2004/08/26 18:11
-	1	((US-6418542-\$).did.) and active	USPAT	2004/08/26 18:11
-	6	(US-6418542-\$ or US-6233599-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.	USPAT; US-PGPUB; JPO	2004/08/26 18:11

-	2	((US-6418542-\$ or US-6233599-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and inactive (status or state) with (thread job process))	USPAT	2004/08/26 18:11
-	302592		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:13
-	202169	((status or state) with (thread job process)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:15
-	23172	((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:16
-	2543	((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4)) and thread	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:17
-	789	((status or state) with (thread job process)) and @ad<=19990610) and ((active run\$4) and (inactive stop\$4)) and ((active run\$4) with thread)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:18
-	2	((US-6418542-\$ or US-5835763-\$ or US-5504898-\$ or US-6457064-\$ or US-6314446-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$ or US-6247039-\$ or US-6101525-\$ or US-5640529-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and ((stor\$5 memory) with status)	USPAT	2004/08/26 18:18
-	6	((US-6418542-\$ or US-5835763-\$ or US-5504898-\$ or US-6457064-\$ or US-6314446-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$ or US-6247039-\$ or US-6101525-\$ or US-5640529-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (single with thread)	USPAT	2004/08/26 18:18
-	4	((US-6418542-\$ or US-5835763-\$ or US-5504898-\$ or US-6457064-\$ or US-6314446-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$ or US-6247039-\$ or US-6101525-\$ or US-5640529-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (single adj thread)	USPAT	2004/08/26 18:18
-	7	((US-6418542-\$ or US-5835763-\$ or US-5504898-\$ or US-6457064-\$ or US-6314446-\$ or US-6182142-\$ or US-5305455-\$ or US-5745703-\$ or US-6233599-\$ or US-6247039-\$ or US-6101525-\$ or US-5640529-\$).did. or (US-20010056457-\$).did. or (JP-11353132-\$).did.) and (error)	USPAT	2004/08/26 18:18
-	1	(US-5542088-\$).did.	USPAT	2004/08/26 18:18
-	1	((US-5542088-\$).did.) and cleanup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:18

-	76805	709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:19
-	2182	(709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (resources threads process\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:21
-	73	((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (resources threads process\$4))) and (thread with (inactive "not active" dead "not alive" zombie (tim\$4 adj out) error cancel\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:21
-	16	(709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (resources threads process\$4)) same (thread with (inactive "not active" dead "not alive" zombie (tim\$4 adj out) error cancel\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:21
-	10	((((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (resources threads process\$4))) and (thread with (inactive "not active" dead "not alive" zombie (tim\$4 adj out) error cancel\$5))) and print\$4) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:21
-	25	((((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (resources threads process\$4))) and (thread with (inactive "not active" dead "not alive" zombie (tim\$4 adj out) error cancel\$5))) and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:21
-	147354	((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) same (resources threads process\$4)) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 09:35
-	1913	((((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) same (resources threads process\$4)) and @ad<=19990610) and 709/(1-108).ccls. and 718/(1-108).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	156	(((((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) same (resources threads process\$4)) and @ad<=19990610) and 709/(1-108).ccls. and 718/(1-108).ccls.) and (garbage clean\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	95	(((((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) same (resources threads process\$4)) and @ad<=19990610) and 709/(1-108).ccls. and 718/(1-108).ccls.) and (garbage clean\$4).ab.) and (state status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	1	(US-6594702-\$.)did.	USPAT	2004/08/26 18:25
-	584	(709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (status states))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25

-	584	((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (status states))) and 709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	76	((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (status states))) and 709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and (garbage clean\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	24	((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (status states))) and 709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and (garbage with (functions status)) (US-6279148-\$).did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	1	((US-6279148-\$).did.) and status and bit	USPAT	2004/08/26 18:25
-	1	((US-6279148-\$).did.) and status and bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	18	((709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and ((clean\$4 (clean\$1 adj up) (garbage adj collect\$4) (garbage adj collect\$5)) with (status states))) and 709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610) and (garbage with status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:25
-	76805	709/(1-108).ccls. and 718/(1-108).ccls. and @ad<=19990610 and (garbage and status).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	4	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (garbage and status).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	1	((US-6421690-\$).did.	USPAT	2004/08/26 18:26
-	1	((US-6421690-\$).did.) and status and garbage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	1	((US-6421690-\$).did.) and status and garbage and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	63	((state status) with thread) same garbage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	28	((state status) with thread) same garbage) and @ad<=19990610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	3	((state status) with thread) same garbage) and @ad<=19990610) and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26

-	9	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (garbage and based).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	2	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (garbage and routines).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	4	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (garbage and status).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	1	(US-6308185-\$).did.	USPAT	2004/08/26 18:26
-	1	((US-6308185-\$).did.) and marker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:26
-	267	(709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (threads with status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:27
-	117	((709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (threads with status)) and (thread with (alive dead zombie cancel cancelled timed stopped inactive active))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:27
-	4	((709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (threads with status)) and (thread with (alive dead zombie cancel cancelled timed stopped inactive active))) and (status with (garbage cleaning clean cleanup deleting deletes deallocating deallocate erase flushed flushing flush))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:27
-	14	((709/(1-108).ccls. or 718/(1-108).ccls.) and @ad<=19990610 and (threads with status)) and (thread with (alive dead zombie cancel cancelled timed stopped inactive active))) and (status same (garbage cleaning clean cleanup deleting deletes deallocating deallocate erase flushed flushing flush))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 18:27
-	1	("5621878").PN.	USPAT	2004/08/26 18:27
-	1	("5644334").PN.	USPAT	2004/08/26 18:27
-	1	("5706411").PN.	USPAT	2004/08/26 18:27
-	1	("5745659").PN.	USPAT	2004/08/26 18:27
-	1	("5919248").PN.	USPAT	2004/08/26 18:27
-	1	("5953010").PN.	USPAT	2004/08/26 18:27
-	1	("5987535").PN.	USPAT	2004/08/26 18:27
-	1	("6038588").PN.	USPAT	2004/08/26 18:27
-	1	("6044387").PN.	USPAT	2004/08/26 18:27